Strategic Direction 1: Tobacco Free Living Goal: Prevent and Reduce Tobacco Use		
CDC Recommended Evidence- and Practice-Based Strategies	Links to Guidance Documents	Healthy People 2020 Health Outcome Targets
Implement evidence-based strategies to protect people from second-hand smoke.	CDC. Evaluation Toolkit for Smoke-Free Policies (2008). http://www.cdc.gov/tobacco/basic_information/secondhand_smoke/evaluation_toolkit/index.htm Tobacco The Business of Quitting: An Employer's website for Tobacco Cessation http://www.businessgrouphealth.org/tobacco/ developed by the National Business Group on Health and supported by the CDC provides tools and resources for workplaces to establish a culture of health, select tobacco cessation benefits, establish workplace policies, communicate with employees and evaluate the effectiveness of the programs, policies, and practices. Tobacco-Free Workplace Campus Initiative This toolkit provides guidance for assessing, planning, promoting, implementing, and evaluating a tobacco-free campus (TFC) initiative that includes a policy and comprehensive cessation services for employees. http://www.cdc.gov/necdphp/dnpao/hwi/toolkits/tobacco/index.htm m http://www.cdc.gov/healthyhomes/Healthy_Homes_Manual_WEB.pdf US. Department of Housing and Urban Development (HUD): Optional Smoke-Free Housing Policy Implementation (Sept. 15, 2010) http://portal.hud.gov/portal/page/portal/HUD/program_offices/ad ministration/hudclips/notices/hsg/files/10-21hsgn.pdf	Tobacco Use 2: Increase the proportion of persons covered by indoor worksite policies that prohibit smoking. 20: Increase the proportion of smoke-free homes

Implement evidence-based strategies to prevent and reduce tobacco use among youth and adults.	Housing Interventions and Health: A Review of the Evidence http://journals.lww.com/jphmp/toc/2010/09001#-1750774083 http://www.thecommunityguide.org/tobacco/index.html http://www.cdc.gov/tobacco/	
 Increase types of outdoor venues where tobacco use is prohibited. Implement smoke-free parks. Implement smoke-free schools and campuses. 	Tobacco-free sports http://www.cdc.gov/tobacco/youth/sports/index.htm CDC School Health Guidelines	Tobacco Use 12: Increase tobacco-free environments in schools.
Tobacco Free Living Innovative Proposals	Recipient will provide	Recipient will link to HP2020 objective
Goals: Prevent and Reduce Obesity, Increase 2010	c Direction 2: Active Living and Healthy Eating Physical Activity; Improve Nutrition in Accordance with the Dietary	Guidelines for Americans
Improve jurisdiction-wide nutrition, physical activity, and screen time policies and practices in early child care settings.	 Preventing Childhood Obesity in Early Care and Education Programs Selected Standards from Caring for our Children: National Health and Safety Performance Standards (Selected Standards Book, 2010). This book provides is the new set of national standards describing evidence-based best practices in nutrition, physical activity, and screen time for early care and education programs. The standards are for ALL types of early care and education settings centers and family child care homes. The Third Edition (CFOC, 3rd Ed.) is projected to be released in 2011. http://nrckids.org/CFOC3/PREVENTING_OBESITY/index.htm Farm to Preschool Farm to Preschool programs connect child care providers and local food producers and processors, with the goal of serving healthy meals to children, providing agriculture, health and nutrition education opportunities, and supporting local and 	Nutrition and Weight Status 19: Increase the number of States with nutrition standards for foods and beverages provided to pre- school aged children in childcare.

Increase the number of designated Baby- friendly hospitals.	regional farmers. Food and garden-based education in preschools increases access to fresh fruits and vegetables. Resources include: National Farm to School Network <u>http://www.farmtoschool.org</u> The CDC Guide to Breastfeeding Interventions. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2005. <u>http://www.cdc.gov/breastfeeding/pdf/breastfeeding_intervention</u> <u>s.pdf</u>	Maternal, Infant and Child Health 28: Increase the percentage of live births that occur in facilities that provide recommended care for
Increase policies and practices to support breastfeeding in health care, community,	Ten Steps to Healthy Breastfeeding Friendly Child Care Centers Guide	lactating mothers and their babies. Maternal, Infant and Child Health
workplaces, and learning and childcare settings.	http://www.dhs.wisconsin.gov/health/physicalactivity/pdf_files/B reastfeedingFriendlyChildCareCenters.pdf This guide is designed to help child care centers improve existing breastfeeding policies and practices and their current compliance with the requirements for the Breastfeeding Friendly designation.	12: Increase the proportion of mothers who breastfeed their babies26: Increase the percentage of employers who have worksite lactation programs.
	Purchaser's Guide to Clinical Preventive Services provide summary plan description language that benefits managers can use to purchase recommended breastfeeding counseling coverage (USPSTF B Recommendation) http://www.businessgrouphealth.org/preventive/topics/breastfeedi ng.cfm	
	Investing in Workplace Breastfeeding Program and Policies: An Employer's Toolkit This National Business Group on Health toolkit provides information for assessing, planning, promoting, implementing, and evaluating a worksite lactation support program. http://www.businessgrouphealth.org/benefitstopics/breastfeeding. cfm	

The CDC Guide to Breastfeeding Interventions. Atlanta: U.S.	
Department of Health and Human Services, Centers for Disease	
Control and Prevention, 2005.	
Included in this guide are breastfeeding interventions that are	
practice and evidence based, with a focus on selecting	
community and other interventions that address disparities within	
specific population groups	
http://www.cdc.gov/breastfeeding/pdf/breastfeeding_intervention	
<u>s.pdf</u>	

Improve nutrition quality of foods and	Institute of Medicine Report: Nutrition Standards for Foods	Nutrition and Weight
beverages served or available in schools	in Schools	Status
consistent with the Institute of Medicine's	http://www.iom.edu/Reports/2007/Nutrition-Standards-for-	6: Increase the contribution
Nutrition Standards for Foods in Schools.	Foods-in-Schools-Leading-the-Way-toward-Healthier-	of fruits to the diets of the
	Youth.aspx	
• Increase access to fruits and vegetables	<u>10uui.aspx</u>	population aged 2 years and
in schools.		older. 18: Increase the number of
• Decrease amount of sodium in foods in	Sodium Procurement Guide	
schools.	http://www.cdc.gov/salt/pdfs/DHDSP_Procurement_Guide.pdf	States that have State-level
Reduce access to competitive low		policies that incentivize food
nutrition foods and beverages.	NPLAN's Developing Healthy Vending Beverage Agreements	retail outlets to provide
• Ensure availability of plain, cold	http://www.nplanonline.org/sites/phlpnet.org/files/nplan/Healthy	foods that are encouraged by
drinking water throughout the day at no	VendngAgrmnt_FactSheet_FINAL_090311.pdf	the Dietary Guidelines.
cost to students.		20: Increase the percentage
	CSPI's Sweet Deals—School Fundraising can be Healthy and	of schools that offer
	Profitable	nutritious foods and
	http://cspinet.org/new/pdf/schoolfundraising.pdf	beverages outside of school
		meals.
	NPLAN's Model Wellness Policy Language for Water Access	
	in Schools	
	http://www.nplanonline.org/childhood-obesity/products/water-	
	access	
	CDC Guide to Fruit and Vegetables Strategies to Increase	
	Access, Availability and Consumption	
	http://www.cdph.ca.gov/SiteCollectionDocuments/StratstoIncreas	
	eFruitVegConsumption.pdf	
	USDA's Be Salt Savvy—Cut Back on Sodium for Healthier	
	School Meals Fact Sheet	
	http://smartsavor.com/Images/USDA%20Sodium%20Fact%20Sh	
	eet.pdf	

Improve the quality and amount of physical	The Community Guide Physical Activity chapter	Physical Activity and
education and physical activity in schools.	www.thecommunityguide.org	Fitness
• Increase the amount of time		2: Increase the proportion of
students spend in moderate or	CDC's Physical Education Curriculum Analysis Tool	schools that require daily
vigorous physical activity during	http://www.cdc.gov/healthyyouth/pecat	physical activity for all
physical education class.		students.
• Increase the total number of	CDC's Strategies to Improve the Quality of Physical	3: Increase daily school
physical activity opportunities	Education	physical education.
implemented at school facilities,	http://www.cdc.gov/healthyyouth/physicalactivity/pdf/quality_pe.	4: Increase the proportion of
including daily recess,	<u>pdf</u>	adolescents who spend at
intramurals/physical activity clubs,		least 50 percent of school
and walk or bicycle to and from	NASPE's National Standards for PE	physical education class time
school.	http://www.aahperd.org/naspe/standards/nationalStandards/PEsta	being physically active.
Increase number of public places	<u>ndards.cfm</u>	7: Increase the proportion of
(e.g. schools) accessible to the		adolescents that meet current
public for physical activity.	CDC's Youth Physical Activity Guidelines Toolkit	physical activity guidelines
	http://www.cdc.gov/HealthyYouth/physicalactivity/guidelines.ht	10, 11: Increase the
	<u>m#1</u>	proportion of trips made by
		walking and bicycling.
	NASPE's Position Statement on Comprehensive School PA	12: Increase the proportion
	Programs	of States and school districts
	http://www.aahperd.org/naspe/standards/upload/Comprehensive-	that require regularly
	School-Physical-Activity-Programs2-2008.pdf	scheduled elementary school
		recess.
	NPLAN's Joint Use Agreement Resources	13: Increase the proportion
	http://www.nplanonline.org/childhood-obesity/products/nplan-	of school districts that
	joint-use-agreements	require or recommend
	KideWalls to Schools A Cuide to Dremote Wallsing to School	elementary school recess for
	KidsWalk-to-School: A Guide to Promote Walking to School http://www.cdc.gov/nccdphp/dnpa/kidswalk/resources.htm#guide	an appropriate time period.
	http://www.cdc.gov/necupitp/ditpa/kidswalk/resources.ntm#guide	
	National Contar for Safa Dautas to Sahaal Cuida Taallit and	
	National Center for Safe Routes to School Guide, Toolkit, and Other Resources	
	http://www.saferoutesinfo.org/resources/	
	http://www.saterouteshito.org/resources/	
	DHHS Physical Activity Guidelines	
	http://www.health.gov/paguidelines/	

 Increase accessibility, availability, affordability and identification of healthy foods in communities, including provision of full service grocery stores, farmers markets, small store initiatives, mobile vending carts, and restaurant initiatives Carry more low-sodium and no- sodium options Promote healthy food and beverage availability and identification Placement and promotion strategies Incentivize new grocery store development Menu labeling support and promotion for restaurants not covered by federal law. 	Equitable Development Toolkit: Healthy Food Retailing PolicyLinkAn online tool that focuses on increasing access to retail outlets that sell nutritious, affordable food in underserved communities. http://www.policylink.org/site/c.lkIXLbMNJrE/b.5137405/k.604 2/Healthy Food Retailing.htmStrategic Alliance ENACT: Community Food Environment An online tool that focuses on attracting grocery stores to underserved areas through financial and regulatory incentives. http://www.preventioninstitute.org/sa/enact/neighborhood/superm arkets_underserved.phpHealthy Corner Stores Describes successes and challenges of early corner store interventions and identifies steps for developing sustainable models: healthycornerstores.orgRecommended Community Strategies and Measurements to Prevent Obesity in the United States http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5807a1.htm	 Nutrition and Weight Status 10: Reduce consumption of sodium in the population aged 2 years and older. 18: Increase the number of policies that incentivize healthy food retail outlets. Heart Disease and Stroke 14: Increase the proportion of adults with prehypertension who meet the recommended guidelines (sodium intake). 15: Increase the proportion of adults with hypertension who meet the recommended guidelines (sodium intake).
 Increase availability and affordability of healthful foods in institutional settings, workplaces, senior centers, and government facilities. Farm to Institution strategies Food procurement policies to increase access to low sodium options, decrease access to high sodium options. Increase availability of fruits and vegetables to employees in their work places 	Vending Machine Food and Beverage Standards (California Department of Public Health Worksite Program California Fit Business Kit! http://www.cdph.ca.gov/programs/cpns/Documents/Network-FV- WP-VendingMachineStandards.pdf CDC's Lean Works! offers interactive tools and evidence-based resources to design effective worksite obesity prevention and control programs. http://www.cdc.gov/leanworks/index.html Sodium Procurement Guide http://www.cdc.gov/salt/pdfs/DHDSP_Procurement_Guide.pd	 Nutrition and Weight Status 6: Increase consumption of fruits. 7: Increase consumption of vegetables 9: Increase the proportion of persons who consume no more than 30 percent of calories from total fat. 15: Prevent inappropriate weight gain in youth and adults.

	<u>f</u> Organizational Health Eating Policy Template (North Carolina Eat Smart Move More Worksite Initiative) http://www.eatsmartmovemorenc.com/PhysicalActivityAndHealt hyEatingPolicy/PhysicalActivityAndHealthyEatingPolicy.html California Fit Business Kit helps employers develop and implement a culture and environment at their workplaces that support healthy eating and physical activity among workers. http://www.cdph.ca.gov/programs/cpns/Pages/WorksiteFitBusine ssKit.aspx	17: Reduce consumption of calories from solid fats and added sugars.
Promote purchase of fruits, vegetables, and other healthy foods through incentives associated with food assistance programs.	Supplemental Nutrition Assistance Program (SNAP) at Farmers Markets: A How-To Handbook. http://www.ams.usda.gov/AMSv1.0/getfile?dDocName=STELPR DC5085298&acct=wdmgeninfo Changes in the WIC Food Packages: A Toolkit for Partnering with Neighborhood Stores http://www.phlpnet.org/healthy-planning/products/changes-wic-food-packages-toolkit-partnering-neighborhood-stores Wholesome Wave Double Value Coupon Program http://wholesomewave.org/what-we-do/double-value-coupon-program/	 Nutrition and Weight Status 6: Increase consumption of fruits. 7: Increase consumption of vegetables. 18: Increase the number of policies that incentivize healthy food retail outlets.
 Limit density of fast food outlets and other outlets featuring high calorie, high sodium, and low nutrition foods and encourage retail venues to provide access and availability to healthier foods. Zoning: regulate the number of fast food restaurants in a given area. Provide incentives to encourage existing stores or restaurants to 	The Center for Law and the Public's Health at Johns Hopkinsand Georgetown Universities.The use of zoning to restrict fast food outlets: a potential strategyto combat obesity.http://www.publichealthlaw.net/Zoning%20Fast%20Food%20Outlets.pdfThe City Planner's Guide to the Obesity Epidemic: Zoningand Fast Food	 Nutrition and Weight Status 18: Increase policies that incentivize healthy food retail outlets. 22: Increase the proportion of Americans who have access to a food retail outlet

- Strategic Directions and Examples of CDC-Recommended Evidence- and Practice-Based Strategies Table

provide healthier food options or to encourage the development of new retail venues that offer healthier foods.	http://www.publichealthlaw.net/Zoning%20City%20Planners%20Guide.pdfThe Food Trust:http://www.thefoodtrust.org/php/programs/corner.store.campaign.php	that sells a variety of foods that are encouraged by the Dietary Guidelines for Americans
Increase opportunities for physical activity in communities and workplaces. • Community-wide campaigns • Access to facilities and places • Joint use agreements • Flextime • Stairwell modification • Incentives	Utah Department of Health Exercise and Health Activity Time Policy http://health.utah.gov/hearthighway/pdfs/Excercise_Release_Policy cy_worksites.pdf Workplace Stairwell Modification and Promotion to Increase Daily Physical Activity This toolkit provides information for implementing and promoting changes to workplace stairwells to encourage physical activity at work. http://www.cdc.gov/nccdphp/dnpao/hwi/toolkits/stairwell/index.h tm NPLAN's joint use agreement resources http://www.nplanonline.org/childhood-obesity/products/nplan-joint-use-agreements Discount Fitness Club Network This toolkit provides guidance on identifying and establishing a relationship with a nationwide discount fitness club network (DFCN) for employees of multi-site organizations http://www.cdc.gov/nccdphp/dnpao/hwi/toolkits/fitnessclub/ Strategic Alliance-ENACT, Community Activity Strategies http://www.eatbettermovemore.org/sa/enact/members/strategiessh ow.php?e=4&se=1&aff69eff45a2561fef61a7d71cab272e Recommended Community Strategies and Measurements to	 Physical Activity and Fitness 5: Increase the schools that provide access to their physical activity spaces and facilities for all persons outside of normal school hours. 6: Increase physical activity in adults. 9: Increase access to and participation in employer- based exercise facilities and programs. 10: Increase walking. 11: Increase bicycling. Disability and Secondary Conditions 7: Reduce reported barriers

	Prevent Obesity in the United States	
	http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5807a1.htm	
Active Living and Healthy Eating Innovative Strategies.	Recipient will provide	Recipient will link to HP2020 objective
	creased Use of High Impact Quality Clinical Preve re and high cholesterol; increase access to and demand for high im	
 Provide training and technical assistance to health care institutions, providers and provider organizations to effectively implement systems to improve delivery of clinical preventive services, consistent with USPSTF recommendations. Implement strategies to translate known interventions into usual clinical care to increase control of high blood pressure and high 	Glynn LG, Murphy AW, Smith SM, Schroeder K, Fahey T. Interventions used to improve control of blood pressure in patients with hypertension. Cochrane Database of Systematic Reviews 2010, Issue 3. Art. No.: CD005182:: http://onlinelibrary.wiley.com/o/cochrane/clsysrev/articles/CD00 5182/frame.html Purchaser's Guide to increase use of clinical preventive services among employees http://www.cdc.gov/pcd/issues/2008/apr/07_0220.htm	 Access to Health Services 9: Increase the persons who receive appropriate clinical preventive services. Older Adults 2: Increase the older adults who are up to date on a core set of clinical preventive measures.
 cholesterol. Provide training and technical assistance to health care institutions, providers and provider organizations to effectively implement systems to increase delivery and use of treatment for tobacco use and dependence. Provide training and technical assistance to health care institutions, providers and provider organizations to effectively implement systems to increase 	 Guide to Clinical Preventive Services. The Community Guide: www.thecommunityguide.org Guide to Clinical Prevention Services (for screening); Health Affairs November 2010 issue: Designing Insurance To Improve Value In Health Care; Purchaser's Guide to Clinical Preventive Services http://www.businessgrouphealth.org/preventive/background.cfm Get With the Guidelines: Outpatient 	 Heart Disease and Stroke 4: Increase adults with hypertension whose blood pressure is under control 5: Increase adults who can state whether their blood pressure was normal or high 6: Reduce the cholesterol levels among adults 7: Reduce high total blood cholesterol levels in adults. 8: Increase blood cholesterol
delivery and use brief intervention to reduce excessive alcohol use.Provide training and technical	http://outpatient.heart.org/GWTG/ WISEWOMAN	testing.13: Reduce hypertension18: Increase adherence to prescribed blood pressure

assistance to health care institutions,	http://www.cdc.gov/wisewoman/	medication.
providers and provider		19: Increase the proportion
organizations to effectively	Better Diabetes Care	of adults with elevated LDL
implement systems to increase	www.betterdiabetescare.nih.gov	cholesterol who have been
delivery and use of cancer screening		advised regarding
services.	http://www.cdc.gov/ncbddd/fasd/research-preventing.html	cholesterol-lowering
Provide training and technical	Project CHOICES is a brief motivational intervention for	management
assistance to health care institutions,	reducing alcohol-exposed pregnancies among women who are at	
providers and provider	high risk for such pregnancies.	Diabetes
organizations to effectively		14: Increase population with
implement systems to increase	Drinking and Reproductive Health: A Fetal Alcohol	diagnosed diabetes whose
appropriate testing of HIV and	Spectrum Disorders Prevention Tool Kit	blood pressure is under
STDs and linkages to care and	http://www.cdc.gov/ncbddd/fasd/acog_toolkit.html	control.
prevention with positives.		15: Improve lipid control
 Provide training and technical 	How to Increase Colorectal Cancer Screening Rates in	among the population with
assistance to health care institutions,	Practice: A Primary Care Clinician's* Evidence-Based	diagnosed diabetes.
providers and provider	Toolbox and Guide 2008:	
organizations to effectively	http://www5.cancer.org/aspx/pcmanual/default.aspx;	Cancer
implement systems to increase	http://www.cancer.org/acs/groups/content/documents/document/a	9: Increase cancer screening
recognition and enhance secondary	<u>cspc-024588.pdf</u>	counseling.
prevention of chronic Hepatitis B		14: Increase number of
and Hepatitis C infection.	Electronic Health Records: Office of the National	women who receive a
and nepatius C infection.	Coordinator for Health Information Technology	cervical cancer screening
	http://healthit.hhs.gov/	15: Increase number of
		adults who receive a
	Understanding Panel Management: A Comparative Study of	colorectal cancer screening
	an Emerging Approach to Population Care	16: Increase number of
	http://xnet.kp.org/permanentejournal/SUM07/panel-	women who receive breast
	management.html	
		cancer screening
	NCI Patient Navigator Research Program	Sech et ere en Alt
	http://crchd.cancer.gov/pnp/pnrp-index.html	Substance Abuse
	http://orend.cancer.gov/pnp/pnip-index.num	21: Decrease the number of
	Patient Navigator Role of CHW can be found in Community	alcohol related deaths.
	Health Workers National Workforce Study. U. S. Department of	
	Health and Human Services Resources and Services	Maternal, Infant and Child
		Health
	Administration Bureau of Health Professions. Community	

Health Worker National Workforce Study. 2007.	10: Increase abstinence from
http://bhpr.hrsa.gov/healthworkforce/chw/	alcohol, cigarettes and illicit
	drugs among pregnant
Community Health Workers' Sourcebook	women.
http://www.cdc.gov/dhdsp/library/chw_sourcebook/pdfs/sourcebo	women.
	Adolescent Health
<u>ok.pdf</u>	
	3: Increase the percentage of
NCQA Patient-Centered Medical Home	adolescents tested for HIV.
http://www.ncqa.org/tabid/631/default.aspx	
	HIV
CDC Case Management Guidelines	6: Increase adults with TB
www.cdc.gov/nceh/lead/CaseManagement/caseManage main.ht	who have been tested for
m	HIV.
	8: Increase the new HIV
Medicare Accountable Care Organizations	infections diagnosed before
https://www.cms.gov/OfficeofLegislation/Downloads/Accountabl	e
	progression to AIDS.
eCareOrganization.pdf	10: Reduce the number of
	new cases of perinatally
RWJ Accountable Care Organization description	acquired HIV/AIDS and
http://www.rwjf.org/files/research/66449.pdf	perinatally acquired AIDS.
	12: Increase HIV-infected
CDC Recommendation for Routine HIV Testing for Persons	persons who know they are
Age 13-64	infected.
http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5514a1.htm	14: Increase HIV testing.
	The increase in V testing.
National Chlamydia Coalition Testing Implementation Guidance.	Immunization and
Why Screen for Chlamydia: An Implementation Guide for	Infectious Diseases
Healthcare Providers. Comprehensive guidance on Chlamydia	1: Reduce chronic hepatitis
testing and screening algorithms and assistance for clinical	B virus in infants and young
providers in dealing with test providers as well as discussing	children.
sexual health and testing with patients	26: Increase persons aware
http://ncc.prevent.org/providers.html	they have a chronic hepatitis
	C infection.
Centers for Disease Control and Prevention. Recommendations	27: Increase hepatitis B
for Identification and Public Health Management of Persons	testing in communities
with Chronic Hepatitis B Virus Infection. MMWR 2008;	experiencing health

	57(No. RR- 8): 1-20	disparities.
	http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5708a1.htm	
		Sexually Transmitted
	American Association for the Study of Liver Diseases.	Diseases
	Management, and Treatment of Hepatitis C: Practice	3: Reduce Chlamydia
	Guidelines, 2009 Update (pp 1335-1339, sections on Testing, Counseling, and Test Interpretation) <u>http://www.aasld.org/practiceguidelines/Documents/Bookmarked</u>	trachomatis infections.4: Reduce gonorrhea rates.5: Reduce transmission of
	%20Practice%20Guidelines/Diagnosis of HEP C Update.Aug	syphilis.
	<u>%20_09pdf.pdf</u>	6: Reduce genital herpes.
		8, 9: Increase screening for genital Chlamydia
		infections.
		infections.
		Disability and Secondary
		Conditions
		14: Reduce reported delays
		in receiving primary care
		due to barriers.
		15: Increase transition
		planning from pediatric to
		adult health care.
Provide outreach, including paid and earned	GYT (Get Yourself Tested):	HIV
media, to increase use of clinical preventive	http://www.itsyoursexlife.com/gyt/toolkit	14 : Increase HIV testing.
services by the population or population		
subgroups.	http://www.cahl.org/web/, the National Chlamydia Coalition:	Sexually Transmitted
	http://ncc.prevent.org/ and Cicatelli Associates:	Diseases
	http://www.cicatelli.org/AboutCAI/home.htm .	8 , 9 : Increase screening for
		genital Chlamydia
T	A description of FDT and a state of CD C2 Production of the Produc	infections.
Increase coverage, availability and use of expedited partner therapy.	A description of EPT principles and CDC's clinical guidance (p34) can be found at	Sexually Transmitted Diseases
expedited parties therapy.	http://www.cdc.gov/std/treatment/EPTFinalReport2006.pdf.	1: Reduce females who have
		ever required treatment for
	Program recommendations are contained in CDC's MMWR	pelvic inflammatory disease.
	recommendations at	3: Reduce Chlamydia

 Prevent diabetes, especially in high risk populations. Increase coverage, availability and use of the National Diabetes Prevention Program Increase preventive services for pregnant women with gestational diabetes or a history of gestational diabetes. 	http://www.cdc.gov/nchhstp/partners/Partner-Services.html (See section on treatment for partners). Diabetes Training and Technical Assistance Center – **This site provides information on diabetes and in the future will house training, curriculum and recognition information on the National Diabetes Prevention Program. http://dttac.org/about/index.html Knowler WC, Barrett-Connor E, Fowler SE, et al. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. N Engl J Med 2002;346:393-403. National Diabetes Prevention Program http://www.cdc.gov/diabetes/projects/prevention_program.htm	 trachomatis infections. 4: Reduce gonorrhea rates. 8, 9: Increase screening for genital Chlamydia infections. Access to Health Services 9: Increase the persons who receive appropriate clinical preventive services. Diabetes 16: Increase the people with pre-diabetes or multiple diabetes risk factors that engage in prevention behaviors. Access to Health Services 9: Increase the persons who receive appropriate clinical preventive services.
dental sealant programs.	(ASTDD) Best Practice Approach Report: School-based Sealant Programs <u>http://www.astdd.org/school-based-dental-sealant-programs/</u>	10: Increase dental sealants on their molar teeth.

Improve arthritis, asthma, cardiovascular	Stanford Chronic Disease Self-Management Program	Arthritis, Osteoporosis, &
disease, and diabetes outcomes with chronic	http://patienteducation.stanford.edu/programs/cdsmp.html	Other Back Conditions
disease self management training programs.		7: Increase provider
	Arthritis evidence-based self-management programs	counseling for arthritis.
	http://www.cdc.gov/arthritis/interventions/self_manage.htm	8: Increase education for
		adults with arthritis.
	Guidelines for the Diagnosis and Management of Asthma	
	www.nhlbi.nih.gov/guidelines/asthma/	Respiratory Diseases
		1, 2: Reduce hospitalizations
	Asthma: A Business Case for Employers and Health Care	and emergency visits for
	Purchasers	asthma
	http://asthmaregionalcouncil.org/uploads/Asthma%20Manageme	3: Reduce activity
	nt/Asthma%20-	limitations among persons
	%20%20A%20Business%20Case%20for%20Employers%20and	with asthma
	%20Health%20Care%20Purchasers%20%202010.pdf	4: Reduce activity limitation
		due to chronic lung/
	The Asheville Project	breathing problems.
	http://www.pharmacytimes.com/files/articlefiles/TheAshevillePr	Reduce asthma deaths
	<u>oject.pdf</u>	7: Reduce number of school
		or work days missed among
	Diabetes Self-Management Education Action Guide	persons with asthma
	http://www.prevent.org/data/files/initiatives/diabetesprogram.pdf	8: Increase the proportion of
		persons with asthma who
	AADE Guidelines for the Practice of Diabetes Self-	receive formal patient
	Management Education and Training	education
	http://www.diabeteseducator.org/DiabetesEducation/position/Pra	9: Increase appropriate
	ctice_Guidelines.html	asthma care.
		Heart Disease and Stroke
		4: Increase adults who can
		state whether their blood
		pressure was normal or high.
		6: Increase adults who have
		had cholesterol checked.
		7: Reduce high blood
		cholesterol levels

		8: Reduce the mean total
		cholesterol among adults
		11: Increase adherence to
		hypertensive prescriptions.
		12: Increase controlled
		hypertension.
		13: Increase cholesterol
		management.
		Diabetes
		1: Increase diabetes
		education.
		4: Reduce lower extremity
		amputations.
		13: Improve glycemic
		control.
		14, 15: Increase population
		with diagnosed diabetes
		whose blood pressure and
		lipids are under control.
Implement Viral Hepatitis Action Plan	http://www.hhs.gov/ash/initiatives/hepatitis/	
Clinical Preventive Services Innovative	Recipient will provide	Recipient will link to
Interventions.		HP2020 objective
	gic Direction 4: Social and Emotional Wellness	
	nd wellness, including social and emotional wellness.	
Promote effective parenting practices.	Bright Futures	Maternal, Infant and Child
	http://brightfutures.aap.org/3rd_Edition_Guidelines_and_Pocket_	Health
	<u>Guide.html</u>	14: Increase the proportion
		of children with special
	http://www.cdc.gov/ace/index.htm	health care needs who
		receive their care in family-
	School Connectedness: Strategies for Increasing Protective	centered, comprehensive,
	Factors among Youth	coordinated systems.
	http://www.cdc.gov/HealthyYouth/AdolescentHealth/pdf/connect	30: Increase screening,
	edness.pdf	evaluation, and early

	http://www.cdc.gov/HealthyYouth/index.htm http://www.cdc.gov/ncbddd/disabilityandhealth/index.html	 intervention in young children with developmental delays. Mental Health and Mental Disorders 6: Increase treatment for children with mental health problems
		Early and MiddleChildhood5: Increase use of positive parenting.
		Disability and Secondary Conditions 20: Increase intervention services in home or community-based settings for children with disabilities.
		Adolescent Health 8: Increase the adolescents connected to a positive adult caregiver.
Implement effective positive youth development and risk reduction approaches to improve adolescent health.	Communities that Care <u>http://www.sdrg.org/CTCInterventions.asp</u> Raising Healthy Children	
	http://www.sdrg.org/rhcsummary.asp Review of studies with impressive outcomes, Johns Hopkins School of Public Health http://www.jhsph.edu/bin/i/h/gbg.pdf	
Social and Emotional Wellness Innovative	Recipient will provide	Recipient will link to

Interventions.		HP2020 objective
Strategic D	irection 5: Healthy and Safe Physical Environment	t
0	we the community environment to support health.	
Increase adoption of comprehensive	CDC Recommendations for Improving Health through	Environmental Health
approaches to improve community design to	Transportation Policy	9: Increase use of
enhance walking and bicycling and active	http://www.cdc.gov/transportation/recommendation.htm	alternative modes of
transportation.		transportation.
	Active Design Guidelines: Promoting Physical Activity and	
	Health in Design	Disability and Secondary
	www.nyc.gov/html/ddc/html/design/active_design.shtml	Conditions 7. Deduce reported horriers
	KideWalk to Schoole & Cuide to Promote Walking to School	7: Reduce reported barriers
	KidsWalk-to-School: A Guide to Promote Walking to School http://www.cdc.gov/nccdphp/dnpa/kidswalk/resources.htm#guide	Physical Activity and
	http://www.cdc.gov/nccupitp/ditpa/Kidswaik/resources.htm#guide	Fitness
	National Center for Safe Routes to School guide, toolkit, and	6, 7: Increase physical
	other resources	activity in adults and
	http://www.saferoutesinfo.org/resources/	adolescents.
		10: Increase walking.
	http://www.cdc.gov/InjuryViolenceSafety/	11: Increase bicycling.
	http://www.cdc.gov/aging/	Environmental Health
		9: Increase use of alternative
		modes of transportation.
Establish community design standards to	Increasing Physical Activity Through Community Design: A	Environmental Health
make streets safe for all users, including	Guide for Public Health Practitioners	9: Increase use of alternative
pedestrians, bicyclists and users of public transit.	www.bikewalk.org/pdfs/IPA_full.pdf	modes of transportation.
	How to Develop a Pedestrian Safety Action Plan	Physical Activity and
	http://drusilla.hsrc.unc.edu/cms/downloads/howtoguide2006.pdf	Fitness
		10: Increase walking.
	Complete Streets: Best Policy and Implementation Practices	11: Increase bicycling
	www.completestreets.org/webdocs/resources/cs-bestpractices-	16: Increase policies for the
	chapter5.pdf	built environment that
		enhance access to and
	http://www.cdc.gov/InjuryViolenceSafety/	availability of physical

		activity opportunities.
Increase mixed use zoning and transit-	Creating Safe, Healthy and Active Living Communities: A	Environmental Health
oriented development.	Public Health Professional's Guide to Key Land Use and	9: Increase use of alternative
	Transportation Planning Policies and Processes	modes of transportation.
	www.safehealthycommunities.com/pdfs/tools_guides_factsheets/	*
	CreatingSafeHealthyCommunities.pdf	Physical Activity and
		Fitness
	Creating Regulatory Blueprint for Healthy Community	10: Increase walking.
	Design: A Local Government Guide to Reforming Zoning and	11: Increase bicycling
	Land Development Codes	
	www.healthytransportation.net/Creating%20a%20Regulatory%20	
	Blueprint%20for%20Healthy%20Community%20Design.pdf	
Establish community protocols to assess the	A Health Impact Assessment Toolkit: A Handbook to	Physical Activity and
impact of community changes on	Conducting HIA	Fitness
community health and wellbeing.	www.humanimpact.org/component/jdownloads/finish/11/8	6, 7: Increase physical
		activity in adults and
	Practice Standards for Health Impact Assessment (HIA)	adolescents.
	http://www.humanimpact.org/doc-lib/finish/11/9	
		Disability and Secondary
	Planning for Healthy Places with Health Impact Assessments	Conditions
	http://professional.captus.com/Planning/hia/default.aspx	7: Reduce reported barriers
Change building codes and other important	• Healthy Homes Guidance Document (CDC document cleared;	Environmental Health
policies to increase safe and healthy homes.	link to be posted soon)	3: Reduce pesticide
• Promote community-level building		exposures.
codes to require all new construction to	• Housing Interventions and Health: A Review of the Evidence	5 : Reduce physical problems
be radon-resistant	(http://journals.lww.com/jphmp/toc/2010/09001#-1750774083)	in housing units.
• Promote community-level property		13: Reduce blood lead levels
maintenance and other codes to	• Healthy Housing Reference Manual	in children.
improve indoor home environments by	(www.cdc.gov/nceh/publications/books/housing/housing.htm)	16: Reduce indoor allergen
improving requirements for smoke-,	• Surgeon General's Call to Action to Promote Healthy Homes	levels.
CO, and radon-detectors in homes.	(www.surgeongeneral.gov/topics/healthyhomes/calltoactiontop	17: Increase the number of
• Promote community-level property	romotehealthyhomes.pdf)	homes with an operating
maintenance and other codes in home	• Trailer Document (CDC document not yet publicly available)	radon mitigation system.
	Asthma Community Guide	18: Increase number of
environments such as bathrooms and		
environments such as bathrooms and stairs to reduce injury risks.	(www.thecommunityguide.org/asthma/index.html) • HUD's Strategic Plan	homes constructed with

 policies to provide reimbursement for asthma education and environmental trigger reduction through home visits. Integrate healthy homes principles into home visiting program protocols. Implement community wide campaigns that promote safe and healthy homes. 	(www.hud.gov/offices/lead/library/hhi/hh_strategic_plan.pdf) and Notice of Funding Availability (www.hud.gov/library/bookshelf12/supernofa/) • www.cdc.gov/lead http://www.cdc.gov/Environmental/	 24: Reduce the number of U.S. homes with lead-based paint hazards. Tobacco Use 20: Increase the proportion of smoke-free homes Disability and Health 21: Increase homes and residential buildings with visitable features.
	Association of State and Territorial Dental Directors (ASTDD) Best Practice Approach Report: Use of Fluoride – Community Water Fluoridation http://www.astdd.org/use-of-fluoride-community-water- fluoridation/	Oral Health 2: Increase the proportion of the U.S. population served by community water systems with optimally fluoridated water.
Reduce alcohol retail outlet density and reduce illegal beverage service.	Community Guide http://www.thecommunityguide.org/alcohol/outletdensity.html Community Guide http://www.thecommunityguide.org/alcohol/dramshop.html	Substance Abuse8: Reduce average annual alcohol consumption16: Reduce the proportion of adults who drank excessively7: Reduce the proportion of persons engaging in binge drinking of alcoholic beverages20: Decrease the number of deaths attributable to alcohol.
Healthy and Safe Physical Environment Innovative Interventions.	Recipient will provide	Recipient will link to HP2020 objective

*Complete Healthy People 2020 Objectives can be found at: <u>http://www.healthypeople.gov/hp2020/Objectives/TopicAreas.aspx</u>

- Strategic Directions and Examples of CDC-Recommended Evidence- and Practice-Based Strategies Table

Additional guidance is available at <u>www.cdc.gov</u> and at specific programmatic links at the CDC website.